

HPC User Environment 1

Feng Chen

HPC User Services

LSU and LONI HPC

sys-help@loni.org

Louisiana State University

Baton Rouge

September 9, 2026

- **HPC User Environment 1**

1. An Intro to HPC
2. Accounts and allocations
3. Introduction to the cluster
4. Software environment (modules)

- **HPC User Environment 2**

1. Queuing system
2. How to run jobs

■ HPC User Environment 1

1. An Intro to HPC
 - 1) Why HPC?
 - 2) What is HPC?
 - 3) Our HPC
2. Getting started
 - 1) Accounts
 - 2) Allocation
3. Into the cluster
 - 1) Getting connected
 - 2) File system
4. Software environment
 - 1) Preinstalled (modules)
 - 2) User installation

- **HPC User Environment 1**

1. Intro to HPC
 - 1) Why HPC?
 - 2) What is HPC?
 - 3) Our HPC
2. Getting started
 - 1) Accounts
 - 2) Allocation
3. Into the cluster
 - 1) Getting connected
 - 2) File system
4. Software environment
 - 1) Preinstalled (modules)
 - 2) User installation




Climate Modeling



Energy Research



Data Analysis



Protein folding



Drug Discovery




Artificial Intelligence

How does HPC work?

□ Introductory Problem

- Fly from New Orleans, LA to New York, NY



**1 (one)
Boeing 787**


Distance=1182 miles
Velocity = ~600 mph
Time = ~2 hours




**2 (two)
Boeing 787
???**

❑ Considering number of seats?

- 787-8 Dreamliner has 248 seats




Why parallel?



Computer runs one
program at a time.

programs

input




output




*Can we have something
that just run 100x faster?*

The von Neumann Architecture



- From 1986 - 2002, microprocessors were speeding like a rocket, increasing in performance an average of 50% per year.
- Since then, it's dropped to about 20% increase per year.

History of Processor Performance



Limitation:


2 GHz Consumer
4 GHz Server

Source:


<http://www.cs.columbia.edu/~sedwards/classes/2012/3827-spring/>

A Little Physics Problem


- Smaller transistors = faster processors.
- Faster processors = increased power consumption.
- Increased power consumption = increased heat.
- Increased heat = unreliable processors.



The von Neumann Architecture



- **Solution:** Move away from single-core systems to multicore processors.
- Instead of designing and building faster microprocessors, put multiple processors on a single integrated circuit.



- The laws of physics have brought us to the multi-core era.
- Serial programs typically don't benefit from the multi-core architecture.
- In order to get speedup, your code needs to be able to make use of multiple cores.

- **HPC User Environment 1**

1. Intro to HPC
 - 1) Why HPC?
 - 2) What is HPC?
 - 3) Our HPC
2. Getting started
 - 1) Accounts
 - 2) Allocation
3. Into the cluster
 - 1) Getting connected
 - 2) File system
4. Software environment
 - 1) Preinstalled (modules)
 - 2) User installation

2) What is HPC?

- **High Performance Computing (HPC)**: the ability to process data and perform complex calculations at high speeds using the cutting-edge modern technology.
- **Supercomputer**: the class of machines that rank among the fastest in the world.
 - Rule of thumb: at least 100 times as powerful as a single PC.



600 mph




60 mph

How do we evaluate the performance of supercomputer?

1) Why HPC?

- Which one is faster?




ENIAC, 1945

First all-vacuum tube supercomputer (18000 vacuum tubes), a decimal computer, hard-wired program with dials and switches.



2) What is HPC?

- Performance is measured in **Floating Point Operations Per Second (FLOPS)**



ENIAC FLOPS: **500**

$$\begin{array}{ccccccc} \text{FLOPS} & = & \text{cores} & \times & \text{clock} & \times & \frac{\text{FLOPs}}{\text{cycle}} \\ \downarrow & & \downarrow & & \downarrow & & \downarrow \\ \text{1267 GHz} & & 18 & & 4.4 \text{ GHz} & & 16 \\ & & & & & & \text{1.27 TFLOPS} \end{array}$$

Computer performance

Name	FLOPS
yottaFLOPS	10 ²⁴
zettaFLOPS	10 ²¹
exaFLOPS	10 ¹⁸
petaFLOPS	10 ¹⁵
teraFLOPS	10 ¹²
gigaFLOPS	10 ⁹
megaFLOPS	10 ⁶
kiloFLOPS	10 ³

"The first teraflop desktop PC: Intel i97980XE (Sep 2017)"

CPU clock rate: 4.4 GHz
CORE: 18 cores
FLOPs per cycle: 16



2) What is HPC?

- Your smartphone vs. supercomputer 24 and 30 years ago

- Apple A19 Pro (6-core, 3.78 GHz):

- 6-core CPU architecture with two performance cores and four efficiency cores,
 - 4.26 GHz for performance cores
 - 2.60 GHz for efficiency cores
 - $R_{\text{peak}} \approx 2.07 \text{ TFLOPS(FP32)}$



- #1 ASCI WHITE, SP POWER3 375 MHZ: **4.9 (12.3) TFLOPS**

Total Cores: **8,192**, OS: **AIX**; Vendor: **IBM (2000)**

- #1 Fujitsu 105MHz: **0.17 (0.24) TFLOPS**

Total Cores: **140**, OS: **UXP/V**; Vendor: **Fujitsu (1994)**

Computer performance

Name	FLOPS
yottaFLOPS	10^{24}
zettaFLOPS	10^{21}
exaFLOPS	10^{18}
petaFLOPS	10^{15}
teraFLOPS	10^{12}
gigaFLOPS	10^9
megaFLOPS	10^6
kiloFLOPS	10^3

[1] iPhone 17 - https://en.wikipedia.org/wiki/Apple_A19

[2] Top 500 list, <https://top500.org/lists/top500/list/2000/11/>;

[3] Top 500 list, <https://top500.org/lists/top500/list/1994/11/>

2) What is HPC?



Current (June 2026):

Rank	System	Cores	Rmax (PFlop/s)	Rpeak (PFlop/s)	Power (kW)
1	LineShine - LingKun, LX2 304C 1.55GHz, LingQi, Kylin OS , Shenzhen Cloud Computing Center Co., Ltd. National Supercomputing Centre in Shenzhen (NSCS) China	13,789,440	2,198.40	2,735.82	42,220
2	El Capitan - HPE Cray EX255a, AMD 4th Gen EPYC 24C 1.8GHz, AMD Instinct MI300A, Slingshot-11, TOSS , HPE DOE/NNSA/LLNL United States	11,340,000	1,809.00	2,821.10	29,685
3	Frontier - HPE Cray EX235a, AMD Optimized 3rd Generation EPYC 64C 2GHz, AMD Instinct MI250X, Slingshot-11, HPE Cray OS , HPE DOE/SC/Oak Ridge National Laboratory United States	9,066,176	1,353.00	2,055.72	24,607

2) What is HPC?



November 2014:

Rank	System	Cores	Rmax (PFlop/s)	Rpeak (PFlop/s)	Power (kW)
47	QB-2 - Dell C8220X Cluster, Intel Xeon E5-2680v2 10C 2.8GHz, Infiniband FDR, NVIDIA K20x, DELL Louisiana Optical Network Initiative United States	23,040	1,052.00	1,473.60	500

[1] Top 500 list, <https://top500.org/lists/top500/list/2014/11/>


2) What is HPC?

- Inside a cluster:



2) What is HPC?

- Inside a rack:




Interconnect:
Infiniband
Switch

Compute
Node

2) What is HPC?

- Inside a node:



- **HPC User Environment 1**

1. Intro to HPC
 - 1) Why HPC?
 - 2) What is HPC?
 - 3) Our HPC
2. Getting started
 - 1) Accounts
 - 2) Allocation
3. Into the cluster
 - 1) Getting connected
 - 2) File system
4. Software environment
 - 1) Preinstalled (modules)
 - 2) User installation

3) Our HPC

- i. University level: **LSU HPC**
- ii. State level: **LONI HPC**
- iii. National level: **ACCESS**

Universities of
Louisiana State



Louisiana State
University Campus,
Baton Rouge, LA



Advancing
Innovation

Universities of the United States

i. **University level: LSU HPC**

- Available to **LSU (Baton Rouge campus) Faculty** and their **affiliates**
- Administered & supported by HPC@LSU



i. University level: **LSU HPC**

SuperMIC	
Hostname	smic.hpc.lsu.edu
Peak Performance/TFlops	925
Compute nodes	360
Processor/node	2 10-core
Processor Speed	2.8 GHz
Processor Type	Intel Xeon 64bit
Nodes with Accelerators	360
Accelerator Type	Xeon Phi 7120P
OS	RHEL v8
Vendor	
Memory per node	64 GB

Deep Bayou	
Hostname	db1.lsu.edu
Peak Performance/TFlops	257
Compute nodes	13
Processor/node	2 24-core
Processor Speed	2.4 GHz
Processor Type	Intel Cascade Lake Xeon 64bit
Nodes with Accelerators	13
Accelerator Type	2 x NVIDIA Volta V100S
OS	RHEL v8
Vendor	Dell
Memory per node	192 GB

SuperMike III	
Hostname	mike.hpc.lsu.edu
Peak Performance/TFlops	1,285
Compute nodes	183
Processor/node	2 32-core
Processor Speed	2.6GHz
Processor Type	Intel Xeon Ice Lake
Nodes with Accelerators	8
Accelerator Type	4 NVIDIA A100
OS	RHEL v8
Vendor	Dell
Memory per node	256/2048 GB

[1] <https://www.hpc.lsu.edu/resources/hpc>

ii. State level: Louisiana Optical Network Infrastructure (LONI)



ii. State level: **Louisiana Optical Network Infrastructure (LONI)**

- State-of-the-art fiber optic network
- Runs throughout Louisiana State, connects Louisiana and Mississippi State research universities.
- \$40M Optical Network, 10Gb Ethernet over fiber optics.
- Available to **LONI subscribers** and their **affiliates**
- Administered & supported by **HPC@LSU**



ii. State level: Louisiana Optical Network Infrastructure (LONI)

QB3	
Hostname	qbc.loni.org
Peak Performance/TFlops	857
Compute nodes	202
Processor/node	2 24-Core
Processor Speed	2.4GHz
Processor Type	Intel Cascade Lake Xeon 64bit
Nodes with Accelerators	8
Accelerator Type	NVIDIA Volta V100
OS	RHEL v8
Vendor	Dell
Memory per node	192 GB
Location	Information Systems Building, Baton Rouge

QB4	
Hostname	qbd.loni.org
Peak Performance/TFlops	4,300
Compute nodes	547
Processor/node	2 32-Core
Processor Speed	2.6GHz
Processor Type	Intel Ice Lake Xeon 64bit
Nodes with Accelerators	62
Accelerator Type	NVIDIA Ampere A100
OS	RHEL v8
Vendor	Dell
Memory per node	256/512/2048 GB
Location	Information Systems Building, Baton Rouge

[1] <https://hpc.loni.org/resources/>

iii. **National level: Advanced Cyberinfrastructure Coordination Ecosystem: Services & Support (ACCESS)**

- NSF funded
- <https://access-ci.org/>



- Summary

	LSU HPC	LONI
Available to...	LSU faculty & affiliates	LONI subscribers & affiliates
Clusters	SuperMIC Deep Bayou SuperMike III	QB3 QB4

Questions?

- **HPC User Environment 1**

1. Intro to HPC
 - 1) Why HPC?
 - 2) What is HPC?
 - 3) Our HPC
2. Getting started
 - 1) Accounts
 - 2) Allocation
3. Intro the cluster
 - 1) Getting connected
 - 2) File system
4. Software environment
 - 1) Preinstalled (modules)
 - 2) User installation

Two things are needed to run jobs on our clusters

1) Account

2) Allocation

- **HPC User Environment 1**

1. Intro to HPC
 - 1) Why HPC?
 - 2) What is HPC?
 - 3) Our HPC
2. **Getting started**
 - 1) **Accounts**
 - 2) Allocation
3. Intro the cluster
 - 1) What users see?
 - 2) Useful commands & tools
4. Software environment
 - 1) Preinstalled (modules)
 - 2) User installation

1) Accounts

	LSU HPC	LONI
Available to...	LSU faculty & affiliates	LONI subscribers & affiliates
Clusters	SuperMIC Deep Bayou SuperMike III	QB3 QB4

- LSU HPC & LONI: **distinct systems, distinct accounts**
- Having an account on one does **not** grant the user access to the other

i. Eligibility (LSU HPC)

LSU HPC	
Available to...	✓ Faculty of LSU Baton Rouge campus ✓ Research staff (postdocs, research associates, ...) ✓ Students (graduate & undergraduate) ✓ Research collaborators (LSU & non-LSU) ✓ Other affiliates
Requirements	• Institutional email (e.g., @lsu.edu) • Account sponsor / PI ✓ <u>Full-time faculty & certain research staff @ LSU Baton Rouge campus</u> × Students, postdocs, research associates (even @ LSU) × Outside collaborators × HPC staff

i. Eligibility (LSU HPC)

You are a ...	Your account sponsor
Full-time faculty @ LSU Baton Rouge campus	Yourself
Graduate student or postdoc @ LSU doing research	Your advisor
Outside collaborator	Your LSU collaborator (full-time faculty)
LSU student taking a course that requires HPC	Your instructor (full-time faculty)
REU student working @ LSU	Your LSU advisor (full-time faculty)

i. Eligibility (LONI)

LONI	
Available to...	✓ Faculty of LONI subscribers ✓ Research staff (postdocs, research associates, ...) ✓ Students (graduate & undergraduate) ✓ Research collaborators (@ LONI subscribers / outside) ✓ Other affiliates
Requirements	• Institutional email (e.g., @uno.edu) • Account sponsor / PI ✓ <u>Full-time faculty @ LONI subscribers</u> × Students, postdocs, research associates (even @ LONI subscribers) × Outside collaborators × HPC staff

i. Eligibility (LONI)

You are a ...	Your account sponsor
Full-time faculty @ LONI subscribers	Yourself
Graduate student or postdoc during research	Your advisor (faculty @ LONI subscribers)
Outside collaborator	Your collaborator (faculty @ LONI subscribers)
Student taking a course that requires HPC	Your instructor (faculty @ LONI subscribers)
REU student	Your advisor (faculty @ LONI subscribers)

i. Eligibility (Summary)

	LSU HPC	LONI
Available to...	✓ Faculty of LSU Baton Rouge campus ✓ Research staff (postdocs, research associates, ...) ✓ Students (graduate & undergraduate) ✓ Research collaborators (LSU & non-LSU) ✓ Other affiliates	✓ Faculty of LONI subscribers ✓ Research staff (postdocs, research associates, ...) ✓ Students (graduate & undergraduate) ✓ Research collaborators ✓ Other affiliates
Requirements	• Institutional email (e.g., @lsu.edu) • Account sponsor / PI ✓ <u>Full-time faculty & certain research staff @ LSU Baton Rouge campus</u> × Students, postdocs, research associates (even @ LSU) × Outside collaborators × HPC staff	• Institutional email (e.g., @uno.edu) • Account sponsor / PI ✓ <u>Full-time faculty & certain research staff @ LONI subscribers</u> × Students, postdocs, research associates (even @ LONI subscribers) × Outside collaborators × HPC staff

i. Eligibility

Test1

❖ I can be granted an LSU HPC or LONI account if:

- a) I am using HPC resource for my research, the account will be sponsored by my advisor (PI)
- b) I am attending HPC training sessions, the account will be sponsored by the HPC staff
- c) I am taking a class that requires using HPC resource, the account will be sponsored by the course instructor
- d) a and b
- e) a and c
- f) All of the above

i. Eligibility

Test1

❖ I can be granted an LSU HPC or LONI account if:

- a) I am using HPC resource for my research, the account will be sponsored by my advisor (PI)
- b) I am attending HPC training sessions, the account will be sponsored by the HPC staff
- c) I am taking a class that requires using HPC resource, the account will be sponsored by the course instructor
- d) a and b
- e) a and c
- f) All of the above

i. Eligibility

Test2

❖ Who may be eligible for LSU HPC accounts? (Choose all that apply)

- a) Alice, a professor in Europe, who collaborates with Professor X @ LSU Baton Rouge campus and wishes to run simulations
- b) Bob, recently graduated from LSU and moved to New York for a postdoc position, but is still working with his PhD advisor Professor Y @ LSU Baton Rouge campus to finish their unfinished research
- c) Charlie, a current undergraduate student @ LSU Baton Rouge campus, who is taking an online Machine Learning course given by Professor Z @ Stanford, and needs practice on a GPU-enabled HPC system

i. Eligibility

Test2

❖ Who may be eligible for LSU HPC accounts? (Choose all that apply)

- a) Alice, a professor in Europe, who collaborates with Professor X @ LSU Baton Rouge campus and wishes to run simulations
- b) Bob, recently graduated from LSU and moved to New York for a postdoc position, but is still working with his PhD advisor Professor Y @ LSU Baton Rouge campus to finish their unfinished research
- c) Charlie, a current undergraduate student @ LSU Baton Rouge campus, who is taking an online Machine Learning course given by Professor Z @ Stanford, and needs practice on a GPU-enabled HPC system

ii. How to apply

	LSU HPC	LONI
Portal	https://accounts.hpc.lsu.edu/login_request.php	https://allocations.loni.org/login_request.php

ii. How to apply

	LSU HPC	LONI
Portal	https://accounts.hpc.lsu.edu/login_request.php	https://allocations.loni.org/login_request.php

ii. How to apply

	LSU HPC	LONI
Portal	https://accounts.hpc.lsu.edu/login_request.php	https://allocations.loni.org/login_request.php
Steps	a) Enter your institutional email and submit b) Check email and open the link (valid for 24 hrs) c) Fill the form (In Contact/Collaborator, enter your account sponsor's full name) and submit d) You will receive a notification when your account is activated once we have verified your credentials • Be patient. Do not reset your password if you cannot log in yet.	

iii. Manage your account

	LSU HPC	LONI
Portal	https://accounts.hpc.lsu.edu	https://allocations.loni.org
Things to do	• Change personal information, password, ... • Change default shell (bash / tcsh / ksh / csh / sh) • Request / manage / check allocation • Request / manage / check storage • ...	

iv. Reset password

	LSU HPC	LONI
Portal	https://accounts.hpc.lsu.edu/user_reset.php	https://allocations.loni.org/user_reset.php
Steps	a) Enter your registered email and submit b) Check email and open the link (valid for 24 hrs) c) Enter your new password and submit d) You will receive a confirmation email once your new password is approved by our staff ** IMPORTANT ** • Your new password is NOT available right away (wait until you receive confirmation of approval) • Do NOT submit multiple times	

iv. Reset password

Case study

- **User:**
“I have been trying to access my accounts on QB2 via an SSH client, but the connection won't go through. I reset my passwords this weekend and the terminals keep giving me a ‘Password Authentication Failed’ error message.....”
- **User Services:**
“When you send a password reset request, it has to be manually processed for security reason before your new password becomes available.”

iv. Reset password

Password security

- Passwords should be changed as soon as your account is activated for added security.
- Password must be at least 12 and at most 32 characters long, must contain **3 of the 4 classes** of characters
 - Lowercase letters
 - Uppercase letters
 - Digits
 - Special characters (punctuation, spaces, etc.)
- Do not use a word or phrase from a dictionary
- Do not use a word that can be obviously tied to the user (*e.g.*, your name, user name, *etc.*)
- **Do NOT share your password to others, including your advisor!!!!**

- **HPC User Environment 1**

1. Intro to HPC
 - 1) Why HPC?
 - 2) What is HPC?
 - 3) Our HPC
2. **Getting started**
 - 1) Accounts
 - 2) **Allocation**
3. Intro the cluster
 - 1) Getting connected
 - 2) File system
4. Software environment
 - 1) Preinstalled (modules)
 - 2) User installation

i. What is **allocation**?

- A deposit of **service units (SU)** that users will be charged from to run jobs on our cluster
 - 1 SU = 1 core-hour
 - Example:
 - My allocation: 150,000 SU
 - Running a job: 24 core * 10 hours = 240 SU
 - Balance: 149,760 SU
 - Cannot run jobs after exhausted
- All LSU & LONI HPC clusters requires allocation to run jobs
- **Free** to users
- But not worthless! (**1 SU $\approx$ \$0.1**)

Who can apply for allocations?

ii. Eligibility

You are a ...	To get allocation ...
Account sponsor / PI*	Submit a request
Non-account sponsor / non-PI	Join your sponsor's allocation

* Full-time faculty & certain research staff @ LSU / LONI subscribers

iii. Request an allocation (if you are an account sponsor / PI)

	LSU HPC	LONI
Portal	https://accounts.hpc.lsu.edu/allocations.php	https://allocations.loni.org/allocations.php
Steps	a) Log in using your account b) Click on “New Allocation for [Cluster Name]” • SuperMIC & SuperMike III share allocations • QB2 and QB3 share allocations • Deep Bayou has separated allocation c) Fill the form and submit d) Your request will be reviewed, and you will be notified if your allocation is approved	

iii. Request an allocation (if you are an account sponsor / PI)

Allocation types

Type	Size [SU]	Can be requested...	Decisions made on...	Activated on...	Limited to...
Startup	150,000	Any time	Following request	Jan 1 Apr 1 Jul 1 Oct 1	2 active / PI
Research	> 150,000	➤ 1 month before decision date (allocation starts)	Jan 1 Apr 1 Jul 1 Oct 1		[LSU HPC] 5,000,000 SU / allocation 9,000,000 SU / PI
					[LONI] 12,000,000 SU / allocation 24,000,000 SU / PI

[1] <https://www.hpc.lsu.edu/users/policy/allocations/>

[2] <https://hpc.loni.org/users/policy/allocations/>

iii. Request an allocation (if you are an account sponsor / PI) from LSU HPC

Allocation types

Type		Size [SU]	Proposal				
			Technical merit	Software characteristics	Previous impact and outcome	External funding or LSU demand	# of pages
Startup		150,000	(Not required)				
Research	A	>150,000 and ≤300,000	Required	Required	Optional	Optional	4
	B	>300,000 and ≤1,000,000	Required	Required	Required	Optional	5
	C	>1,000,000	Required	Required	Required	Required	6

[1] <https://www.hpc.lsu.edu/users/policy/allocations/#research-allocations-150000-sus>

iii. Request an allocation (if you are an account sponsor / PI) from LONI HPC

Allocation types

Type	Size [SU]	Proposal				
		Problem Statement	Background	Methodology	Research Plan	Requirements Analysis
Startup	150,000	(Not required)				
Large	>150,000 and ≤12,000,000	Please refer to: https://hpc.loni.org/users/policy/allocations/#the-allocation-process				

iv. Join an allocation (if you are not an account sponsor / PI)

	LSU HPC	LONI
Portal	https://accounts.hpc.lsu.edu/allocations.php	https://allocations.loni.org/allocations.php

iv. Join an allocation (if you are not an account sponsor / PI)

	LSU HPC	LONI
Portal	https://accounts.hpc.lsu.edu/allocations.php	https://allocations.loni.org/allocations.php
Steps	[Method 1: Join by request] a) Log in using your account b) Click on “Join allocation” c) Search for your account sponsor / PI, and click "Join Projects" d) Find the desired allocation you wish to join, click “Join” e) Your account sponsor / PI will receive an email notification and approve your request [Method 2: Ask your PI to add you] a) Ask your PI to log in using his/her account b) Click on “Manage memberships” c) Find the desired allocation, click “Edit -> Add a User” d) Search for your account, click “Add to [Allocation name]”	

iv. Join an allocation (if you are not an account sponsor / PI)

Case study

- **User:**
“Hi, my PI recently applied for an allocation on SuperMIC and was approved (see forwarded email below). However, I do not see that this allocation is available for my use in <https://accounts.hpc.lsu.edu/balances.php> . When will I be able to access the allocation?”
- **User Services:**
“You should either request to join your PI’s allocation through the user portal, or ask your PI to add you to the allocation”

- **Test**

❖ **What are the TWO things required to run jobs on our clusters?**

- a) An active myLSU account
- b) An active LSU HPC / LONI account
- c) An active LSU HPC / LONI allocation
- d) A valid payment method (credit card / bank account / check / cash ...) to pay for the services

- Test

❖ What are the TWO things required to run jobs on our clusters?

- a) An active myLSU account
- b) An active LSU HPC / LONI account
- c) An active LSU HPC / LONI allocation
- d) A valid payment method (credit card / bank account / check / cash ...) to pay for the services

- Login to one of the user portals (LSU HPC or LONI) with your HPC username and password. Update your email and phone number (for practice).
 - LSU HPC: <https://accounts.hpc.lsu.edu>
 - LONI: <https://allocations.loni.org>
- Download MobaXterm (if you are Windows user)
- Review commands in Linux and the vim editor

Cheat sheet of Commands in Linux	
history	Command history
mkdir	Make a folder
ls	List a folder -a List all files including hidden -l Shows files with a long listing format
cd	Change directory
pwd	Show current directory
cp	Copy
rm	Remove files (CAREFUL!)
Up arrow (↑)	Move back in history
Tab	Fill in unique file name
Tab Tab	Press tab twice, show all available file names

Cheat sheet of vim editor

- vi (name of file)
- Commands in VI
 - i enter insert mode (-- INSERT -- shows in the bottom left corner)
 - esc exits insert mode, back to the command mode
 - dd -> deletes line
 - u -> Undo
 - Shift Z shift Z or :wq -> saves and exits VI
 - :q! -> exit without saving
 - : (some number) -> moves through file to row #
 - /(indicator) -> search
 - Use N to find Next
 - [(page up)] (page down)
- NO CAPS (for example :q! is not :Q!)


- **HPC User Environment 1**

1. Intro to HPC
 - 1) Why HPC?
 - 2) What is HPC?
 - 3) Our HPC
2. Getting started
 - 1) Accounts
 - 2) Allocation
3. Intro the cluster
 - 1) Getting connected
 - 2) File system
4. Software environment
 - 1) Preinstalled (modules)
 - 2) User installation

1) Getting connected

i. General architecture


Term	Definition
Cluster	A set of connected computer nodes that work together. (<i>E.g.</i> , QB4)
Node	A single, named host machine in the cluster. (<i>E.g.</i> , qbd010)
Core	The basic computation unit in a processor. (<i>E.g.</i> , a QB4 compute node has two 32-core processors → 64 cores)
Job	A user's request to use a certain amount of resources for a certain amount of time on cluster for his/her work.



1) Getting connected

i. General architecture


- Multiple compute nodes
- Multiple users
- Each user may have multiple jobs running simultaneously



1) Getting connected

i. General architecture

- Multiple compute nodes
- Multiple users
- Each user may have multiple jobs running simultaneously




1) Getting connected

i. General architecture

- Multiple compute nodes
- Multiple users
- Each user may have multiple jobs running simultaneously




[user@mike1 ~]\$ python my.fancy.super.large.job.py



1) Getting connected

i. General architecture

- Multiple compute nodes
- Multiple users
- Each user may have multiple jobs running simultaneously



ii. Logging in

Secure Shell (SSH)

ii. Logging in

Secure Shell (SSH)

Your OS ...	Tool you need ...
Linux / Mac	Terminal
Windows	MobaXterm Putty Or other ssh client software
A web browser*	Open OnDemand (OOD) https://ondemand.smic.hpc.lsu.edu https://ondemand.mike.hpc.lsu.edu

* Must from LSU Baton Rouge campus (or via VPN off-campus)

MobaXterm:

- Generally fine for **personal devices**.
- **Institutional devices** may subject to institution's policies. Talk to your IT!
 - *E.g., LSU AgCenter recommends Putty Instead of MobaXterm*

ii. Logging in

Secure Shell (SSH)

Cluster		Remote Host Address
LSU HPC	SMIC	<code>smic.hpc.lsu.edu</code>
	Deep Bayou	<code>db1.hpc.lsu.edu</code>
	SuperMike III	<code>mike.hpc.lsu.edu</code>
LONI HPC	QB-3	<code>qbc.loni.org</code>
	QB-4	<code>qbd.loni.org</code>

ii. Logging in

ssh ~~-X~~ username @ remote host address

1) Getting connected

ii. Logging in

a) Linux / Mac

```
fchen14@mike.hpc.lsu.edu:~$ ssh fchen14@mike.hpc.lsu.edu
fchen14@mike.hpc.lsu.edu's password:
Last login: Mon Aug 18 11:26:16 2014 from fchen14-4.lsu.edu
#####
Send questions and comments to the email ticket system at sys-help@loni.org.
#####

SuperMike-II at LSU (Open for general use)

1-Dec-2012

SuperMike-II is a 146 TFlops Peak Performance, 440 node, 16 processor Red Hat
Enterprise Linux 6 cluster from Dell with 2.6 GHz Intel Xeon 64-bit processors
and 32 GB RAM per node. GPUs and additional memory are available on some nodes.
This cluster is for authorized users of the LSU community. Access is restricted
to those who meet the criteria as stated on our website.

1-Feb-2013

SuperMike-II is open for general use. Please report problems to our email ticke
t
system at sys-help@loni.org so that we can address them.


Quotas for the /home volume are enabled at 5 GB. Please do
```

1) Getting connected

ii. Logging in

b) Windows

- MobaXterm




1) Getting connected

ii. Logging in

b) Windows

- Putty




1) Getting connected

ii. Logging in

b) Windows

- SSH Secure Shell

NO longer works on our clusters!



This program has not been updated to work with the latest SSH protocols. Please do not use this SSH client.

ii. Logging in


- ❖ Special note: **X11 forwarding**
 - Enables graphic user interface (GUI)

ii. Logging in

- ❖ Special note: **X11 forwarding**
 - Enables graphic user interface (GUI)


You are using...		To enable X11 forwarding...
Linux (e.g., Ubuntu)		<code>ssh -X username@server.address</code>
Mac		a) Install X server (e.g. XQuartz) b) <code>ssh -X username@server.address</code>
Windows	MobaXterm	Enabled by default (can be disabled in “Advanced SSH Settings”)
	Putty	a) Install X server (e.g. Xming) b) Connection → SSH → X11 → Enable X11 forwarding

- **For security considerations, LSU and LONI HPC clusters require multi-factor authentication (MFA).**
- **Why Two-Factor Authentication (2FA) is Essential?**
 - Enhanced Security: Adds an extra layer of protection by requiring two forms of verification (something you know and something you have). Even if your password is compromised, your account remains secure.
 - Protection Against Cyber Threats: Helps prevent unauthorized access due to phishing, social engineering, or password theft.
 - Reduces the risk of identity theft and data breaches.
- **Quick and Easy to Use:**
 - Once set up, 2FA verification is fast and straightforward, ensuring minimal disruption to your login process.
 - After successful password and token prompts, subsequent ssh logins within a **12-hour** period will only prompt for a password.



1. Install an authenticator on your smartphone


We recommend [Google Authenticator](#), but any Time-based One-Time Password (TOTP) authenticator (e.g. [Microsoft Authenticator](#), [Authy](#) etc.) would do. You can search for these authenticators in the app store for any apps on your phone.




2. Log in to the cluster using your credentials: `ssh -X your_username@qbd.loni.org`

You will see a QR code along with some text and a prompt for the one-time token:

3. Open (one time) the authentication app on your phone and scan the QR code.



4. Type the 6-digit one-time token at the prompt and press enter.



Note: the token will expire in 30 seconds after being generated. If it expires, simply use the new token.

5. Log out and log back in with your ssh client. You should see the token prompt after entering your password.



6. Enter the token in your authenticator at the prompt as you did in Step 4.

- If you log in successfully, no token will be required again for the next 12 hours if you log in from the same IP address. You do need to type your password everytime.
- In the future, you only need to repeat **Step 5** and **6** to log in.

If you do not have a smartphone or the authenticators do not work on your phone, you can also choose to use desktop applications. [KeepPassXC](#) is an excellent choice, which also provides a browser extension and can be used as a password manager. If you need help setting it up, please contact us at sys-help@loni.org.

Special note for windows Putty users

- Windows users using PuTTY, the QR code may not display properly with the default settings, making it unscannable using a phone.
- **Solution:** adjust the "Columns" setting under the "Window" settings from 80 to 160.




ii. Logging in

Useful commands	
who	Check who is on the node
balance / showquota	Check allocation balance
history	Command history
mkdir	Make a folder
ls	List a folder -a List all files including hidden -l Shows files with a long listing format
cd	Change directory
pwd	Show current directory
cp	Copy
rm	Remove files (CAREFUL!)
Up arrow (↑)	Move back in history
Tab	Fill in unique file name
Tab Tab	Press tab twice, show all available file names


- **HPC User Environment 1**

1. Intro to HPC
 - 1) Why HPC?
 - 2) What is HPC?
 - 3) Our HPC
2. Getting started
 - 1) Accounts
 - 2) Allocation
3. Into the cluster
 - 1) Getting connected
 - 2) File system
4. Software environment
 - 1) Preinstalled (modules)
 - 2) User installation

2) File system





2) File system




- **Most directories**
 - Write: ×
 - Read: (some)
 - Execute: (some)

2) File system








Permission			
Read	$\checkmark$	$\times$	$\checkmark^*$
Write	$\checkmark$	$\times$	$\times$
Execute	$\checkmark$	$\times$	$\checkmark^*$

2) File system



iv. `/var/scratch`

- **Permission:** √
- **Quota:** Subject to node specs
- **Lifetime:** End of job (must delete them!)
- **Best for:** (Most users do not need it. Only rare cases)

File system summary

Directory (folder)	Centralized	Throughput	Lifetime	Quota	Best for
/home/[username]	✓	Low	Unlimited	10GB	Code / executables
/work/[username]	✓	High	60 days of inactivity	Unlimited	Job input/output
/project/[Pi's username]	✓	Medium / High	1 year (renewable)	As PI requested (N x 100GB)	Specific project / group sharing. NOT for archive!
/var/scratch	×	High	End of job	Subject to node specs	(Most users do not need it. Only rare cases)

- **Tips**
 - **Neither /work nor /project** is for long-term storage
 - /work directory will be created **1 hour** after the first cluster login
 - /project directory: **Only PI w/ active allocations** can apply! (See appendix or contact us)
 - **Avoid** writing output to your home directory!
 - Check current disk quota and usage: **balance / showquota**


- File transfer

Commands	
scp / rsync	From/to a Unix/Linux/Mac machine (including between the clusters) • Syntax: - scp <options> <source> <destination> - rsync <options> <source> <destination>
wget	From a download link on a website (usually opened with a web browser) • Syntax: - wget <link>

2) File system

- File transfer

Avoid transferring many small files; make a tarball/zip



UNREGISTERED VERSION - Please support MobaXterm by subscribing to the professional edition here: <http://mobaxterm.mobatek.net>


- **HPC User Environment 1**

1. Intro to HPC
 - 1) Why HPC?
 - 2) What is HPC?
 - 3) Our HPC
2. Getting started
 - 1) Accounts
 - 2) Allocation
3. Into the cluster
 - 1) Getting connected
 - 2) File system
4. Software environment
 - 1) Preinstalled (modules)
 - 2) User installation

- **HPC User Environment 1**

1. Intro to HPC
 - 1) Why HPC?
 - 2) What is HPC?
 - 3) Our HPC
2. Getting started
 - 1) Accounts
 - 2) Allocation
3. Into the cluster
 - 1) Getting connected
 - 2) File system
4. Software environment
 - 1) Preinstalled (modules)
 - 2) User installation

1) Preinstalled (modules)



System-widely installed software

Software deployed using containers (singularity)

1) Preinstalled (modules)

- **Modules**

- Software that **can be loaded/unloaded** on demand.
- List of modules **preinstalled system-wide**: <https://www.hpc.lsu.edu/docs/guides/index.php>

Category	Modules
Mathematical & utility	FFTW, HDF5, NetCDF, PETSc ...
Applications	Amber, NWChem, NAMD, Gromacs, R, LAMMPS ...
Visualization	VisIt, VMD, Paraview ...
Programming Tools	Totalview, DDT, TAU ...

1) Preinstalled (modules)

- **Modules**

Useful commands

<code>module available</code> (<code>module av</code>)	List available modules on the cluster
<code>module list</code> (<code>module li</code>)	List currently loaded modules
<code>module load [module name]</code>	Load module(s)
<code>module unload [module name]</code>	Unload module(s)
<code>module swap/switch [module 1] [module 2]</code>	Unload a Module 1 and load Module 2
<code>module purge</code>	Unload all modules
<code>module display [module name]</code>	Display module information and all environmental variables changes when loaded

1) Preinstalled (modules)

- Locally installed software and containerized software

```
[fchen14@qbd1 ~]$ module av
```

```
----- /project/containers/modulekeys -----  
agat/1.4.0      bwa/0.7.17      hisat2/2.2.1    nco/4.9.8       pytorch/2.2.2   trinity/2.15.1  
augustus/3.5.0  cantera/3.0.1    htlib/1.23      nextflow/23.10.1 pytorch/2.6.0   trinotate/4.0.2  
bcftools/1.18   cellranger-arc/2.0.2 iqtree/1.6.7    octopus/14.0     qiime2/2024.2   vasp6/6.5.1-cpu  
bcl2fastq2/2.20 cellranger-atac/2.1.0 iqtree2/2.4.0  ollama/0.9.5     r/4.4.1         vasp6/6.5.1-gpu  
beast2/2.7.7    cellranger/8.0.1  iqtree3/3.0.1  openbabel/3.1.1  revbayes/1.2.4  vcftools/0.1.16  
blast/2.14.1    cp2k/2024.1      jax/0.4.26     openfoam/10      salmon/1.10.2   wrf/4.6.0  
bowtie2/2.5.1   exabayses/1.5.1  jax/0.5.0      openfoam/v2212   samtools/1.19  
braker/3.0.8    gatk/4.5.0.0     jellyfish/2.3.0 orthofinder/2.5.5 star/2.7.11b  
busco/5.7.1     genespace/1.3.1  maker/3.01.03  paraview/5.12.1  tensorflow/2.16.1
```

```
----- /usr/local/packages/Modules/default/modulefiles/linux-rhel8-icelake -----  
amber/22/intel-2021.5.1-cuda-11.5.2-intel-mpi-2021.5.1  lammps/03Mar2020/intel-2021.5.0-intel-mpi-2021.5.1  
amber/22/intel-2021.5.1-intel-mpi-2021.5.1             mamba/1.5.8  
amber/22/intel-2021.5.1-mvapich-2.3.7-intel-2021.5.1   matlab/r2023b  
ambertools/25/intel-2021.5.1-intel-mpi-2021.5.1        metis/5.1.0/intel-2021.5.0  
boost/1.83.0/intel-2021.5.0                             mpich/3.4.3/intel-2021.5.0  
bowtie2/2.5.1/intel-2021.5.0                             mpich/4.1.2/intel-2021.5.0  
bwa/0.7.17/nvhpc-24.1                                    mvapich2/2.3.7/intel-2021.5.0
```

1) Preinstalled (modules)

- Example of loading a Python module (locally installed)

```
[fchen14@qbd1 ~]$ which python
/usr/bin/which: no python in
(/home/fchen14/.local/bin:/home/fchen14/bin:/usr/local/packages/Modules/5.3.1/bin:/usr/local/bin:/usr/bin:/usr/local/sbin:/usr/sbin:/usr/local/bin:/opt/dell/srvadmin/bin)
[fchen14@qbd1 ~]$ module av python
----- /usr/local/packages/Modules/default/modulefiles/linux-rhel8-icelake -----
python/3.11.5-anaconda
```

Key:

modulepath

```
[fchen14@qbd1 ~]$ module load python
```

```
[fchen14@qbd1 ~]$ which python
```

```
/usr/local/packages/python/3.11.5-anaconda/bin/python
```

```
mvapich2/2.3.7/intel-2021.5.0
```

1) Preinstalled (modules)

- **Example of loading qiime2**

```
[fchen14@qbd1 ~]$ module purge
[fchen14@qbd1 ~]$ module av qiime
```

```
----- /project/containers/modulekeys -----
```

```
qiime2/2024.2
```

```
Key:
```

```
modulepath
```

```
[fchen14@qbd1 ~]$ module load qiime2
```

```
[ Help information ]
```

1. This module only works on computing nodes (not available on head nodes). Make sure you start a job!

2. Below executables are available:

```
qiime python python3 pip pip3
```

```
[fchen14@qbd1 ~]$ which qiime
```

```
~/local/bin/modules/qiime2/2024.2/qiime
```

1) Preinstalled (modules)

- **Modules**
 - Auto-load modules: `~/modules`

- **HPC User Environment 1**

1. Intro to HPC
 - 1) Why HPC?
 - 2) What is HPC?
 - 3) Our HPC
2. Getting started
 - 1) Accounts
 - 2) Allocation
3. Into the cluster
 - 1) Getting connected
 - 2) File system
4. **Software environment**
 - 1) Preinstalled (modules)
 - 2) User installation

You can't...	You can...
• yum / apt-get • sudo (!!!) • ...	• Build from source • Use virtual environment (e.g., conda) * • Advanced methods (e.g., Singularity) * • Ask HPC staff for help • ...

2) User installation

- **Avoid installing software in /work**
 - Purge after 60 days
- **Recommended paths:**
 - a) /home (for yourself)
 - b) /project (for group sharing or large applications)

- **Two types of software packages:**
 - Preinstalled (modules)
 - User installed

■ HPC User Environment 1

1. Intro to HPC
 - 1) Why HPC?
 - 2) What is HPC?
 - 3) Our HPC → **LSU HPC (SMIC, Deep Bayou, SuperMike III) / LONI (QB2, QB3)**
2. Getting started
 - 1) Accounts → **Need an account sponsor! Most likely a faculty**
 - 2) Allocation → **Request a new one or join an existing one**
3. Into the cluster
 - 1) Getting connected → **Logging in via SSH; Do NOT run jobs on head node**
 - 2) File system → **Know your /home, /work, /project**
4. Software environment
 - 1) Preinstalled → **Use modules**
 - 2) User installation → **No sudo or yum**

- **HPC User Environment 2**

1. Queuing system
2. How to run jobs

- **Contact user services**

- Email Help Ticket: sys-help@loni.org
- Telephone Help Desk: +1 (225) 578-0900

- **Storage allocation $\neq$ computing allocation (what we talked about today)**
- **PI can apply for extra disk space on the /project volume for you and his/her entire research group if**
 - your research requires some files to remain on the cluster for a fairly long period of time; **and**
 - their size exceeds the quota of the /home
- **The unit is 100 GB**
- **Storage allocations are good for 1 year, but can be extended based on the merit of the request**
- **Examples of valid requests**
 - I am doing a 12-month data mining project on a large data set
 - The package I am running requires 10 GB of disk space to install
- **Examples of invalid requests**
 - I do not have time to transfer the data from my scratch space to my local storage and I need a temporary staging area

- **An example of a simple module file (`~/my_module/gitkey`):**

```
#%Module
proc ModulesHelp { } {
    puts stderr { my compiled version of git.
}
}
module-whatis {version control using git}
set GIT_HOME /home/fchen14/packages/git-master/install
prepend-path PATH $GIT_HOME/bin
```

- **Add the path to the key to the MODULEPATH environment variable:**

```
$ export MODULEPATH=~/my_module:$MODULEPATH
```

- **Then try to use:**

```
$ module load gitkey
$ which git
$ module unload gitkey
$ which git
```

- 1. <https://www.4freephotos.com/CPU-schematic-6037.html>
- 2. https://en.wikipedia.org/wiki/Apple_A16#/media/File:Apple_A16.jpg
- 2. https://www.cpu-monkey.com/en/cpu-apple_a16_bionic